

Title	Sakurada Laboratory (Special Issue on the Commemoration of the Fortieth Anniversary)
Author(s)	
Citation	Bulletin of the Institute for Chemical Research, Kyoto University (1967), 44(6): 533-538
Issue Date	1967-02-25
URL	http://hdl.handle.net/2433/76163
Right	
Type	Departmental Bulletin Paper
Textversion	publisher

SAKURADA LABORATORY (July 1942~)

Head: Dr. Ichiro Sakurada

Sakurada Laboratory is under the direction of Prof. I. Sakurada and has been established in 1942 from Kita Laboratory. The main project covers the study on man-made fibers, and the research is being carried out in close collaboration with Tsuji Laboratory.

Vynlon, which is made from polyvinyl alcohol, is a synthetic fiber being produced on an industrial scale on the basis of the research performed in 1939 in this laboratory. Since then, the chemistry of polyvinyl alcohol has actively been studied from various standpoints in this laboratory.

Developmental research on man-made fibers has been extended to polyolefin, polyoxymethylene, collagen fibers, etc, and the spinning of polymer mixture has also been studied. Furthermore, grafting onto cotton, rayon and a variety of synthetic fibers has been a focus of the research efforts.

Another area of the research activity in the laboratory is the basic studies on polymer solutions, polymer melts and polymer solids. The study on the correlation between the elastic modulus of crystalline region and the molecular structure and conformation in polymer solids has given significant results.

Publications

(* indicates an article published in Japanese)

1. K. Fuchino, Y. Nukushina and A. Okada: On the Posison-Ratio of Polycaproamide Fibers, *Chem. High Polymers (Japan)*, **8**, 291 (1951).*
2. I. Sakurada and N. Nakamura: Studies on the Formalization and in Vynlon Production.
 - (I) Effects of Various Factors on the Reaction Rate. *Chem. High Polymers (Japan)* **8**, 476 (1951).*
 - (II) Relation between the Degree of Formalization and Hot Water Resistance of Vynlon. *ibid.*, **8**, 480 (1951)*.
 - (III) Formalization in HCl-NaCl bath. *ibid.*, **8**, 484 (1951).*
 - (IV) On Formalization at Low Concentration Formalization Bath. *ibid.*, **8**, 534 (1951)*.
 - (V) Two-Stage Formalization, *ibid.*, **8**, 537 (1951).*
 - (VI) Effects of Heat-Treatment Temperature on Formalization, *ibid.*, **8**, 539 (1951)*.
3. N. Mori: Studies on Vynlon Long Fiber.
 - (I) Spining Condition and Tensile Strength, *J. Soc. Fiber Sci. and Tech. (Japan)*, **7**, 206 (1951)*.
 - (II) Continuous Dry Heat-Treatment, *ibid.*, **7**, 208 (1951).*
4. M. Hosono and I. Sakurada: Diffusion of High Polymers.
 - (I) Mean Diffusion Coefficient in Polydisperse System, *Chem. High Polymers (Japan)* **8**, 361 (1951)*.
 - (II) A Method of Determination of the Degree of Polydispersity in Polydisperse System by Diffusion, *ibid.*, **8**, 374 (1951).*
5. Y. Sakaguchi and I. Sakurada: Studies on Chemical Reaction of Polyvinyl Compounds, *Bull. Inst. Chem. Res., Kyoto Univ.*, **24**, 91 (1951).
6. I. Sakurada and N. Nakamura: On the Low Formalization of Polyvinyl Alcohol Fibers, *Bull. Inst. Chem. Res., Kyoto Univ.*, **24**, 94 (1951).

7. Y. Nukushina and I. Sakurada: The Viscosity of the Deformed Rod-like Macromolecule in Solution, *Bull. Inst. Chem. Res., Kyoto Univ.*, **26**, 95 (1951).
8. I. Sakurada: Studies in Synthetic Fiber Vinyon, *Bull. Inst. Chem. Res., Kyoto Univ.*, Memorial Issue, 84 (1951).
9. W. Tsuji and M. Imai: Design of a Fiber Tensile Tester with Chain Loading Mechanism. *J. Soc. Text. Sci. Tech. (Japan)*, **7**, 11 (1951).*
10. A. Okada and I. Sakurada: X-ray Study on the Reaction of Polyvinyl Alcohol with Alkali, *Chem. High Polymer (Japan)*, **9**, 111 (1952).*
11. M. Hosono and I. Sakurada: Diffusion of High Polymers. (III) Diffusion of Polyvinyl Alcohol, *Chem. High Polymers (Japan)*, **9**, 64 (1952).*
12. W. Tsuji and S. Isaka: Studies on the Improvement of the Fiber Quality by the Synthetic Resin Treatment. (III) Elastic Property of Viscose Rayon and Vinyon Fibers Treated with Urea and Melamine Resins, *Jushikako (Resin Finishing and Application)*, **1**, 10 (1952).*
13. I. Sakurada and Y. Sone: Rheological Study on Concentrated Solution of Polyvinyl Alcohol, (I) Time- and Stress- Dependencies of Apparent Viscosity, *Chem. High Polymers (Japan)*, **10**, 197 (1953).*
(II) Study on Fluidity Equation, *ibid.*, **10**, 202 (1953).*
(III) Concentration and Temperature-Dependence of Fluidity, *ibid.*, **10**, 206 (1953).*
14. Y. Nukushina and I. Sakurada: Viscosity Equation of Loosely Coiled Linear Molecule, *Chem. High Polymers (Japan)*, **10**, 365 (1953).*
15. W. Tsuji: Dynamic Tensile Test of Fibers, *J. Soc. Material Testing, (Japan)*, **1**, 49 (1953)*.
16. W. Tsuji and M. Imai: Synthetic Resin and Other Treatment of Silk, *Jushikako (Resin Finishing and Application)*, **2**, 395 (1953).*
17. M. Hosono and I. Sakurada: On the Diffusion of High Polymers,
(IV) Diffusion of Polyvinyl Acetate, *Chem. High Polymers (Japan)*, **10**, 76 (1953)*.
(V) Determination of Number- and Weight- Average Molecular Weight of High Polymers by Diffusion, *ibid.*, **10**, 85 (1953).*
(VI) Determination of Number- and Weight-Average Molecular Weights by Diffusion of Polyvinyl Acetate and Polyvinyl Alcohol, *ibid.*, **10**, 94 (1953).*
18. Y. Sone, K. Hirabayashi and I. Sakurada: Aging of Polyvinyl Alcohol Gel,
(I) Studies by X-ray, Dilatometry and Hardness Measurements, *Chem. High Polymers (Japan)*, **10**, 1 (1953).*
(II) Variation in the Degree of Swelling in Water and Hot Water Resistance of Gel by Aging, *ibid.*, **10**, 7 (1953).*
19. Y. Sone, K. Hirabayashi and I. Sakurada: Specific Weight of Polyvinyl Alcohol and its Derivatives, *Chem. High Polymers (Japan)*, **10**, 277 (1953).*
20. I. Sakurada and Y. Nukushina: Thermodynamics of Swelling of Crystalline High Polymers, *Chem. High Polymers (Japan)*, **11**, 472 (1954).*
21. N. Mori, W. Tsuji and I. Sakurada: Spinning of Pure Polyvinyl Chloride Synthetic Fibers and Improvement of Heat-Resistance, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **10-11**, 35 (1954).*
22. W. Tsuji and M. Imai: Effect of Boric Acid and Other Chemicals on the Properties of Polyvinyl Alcohol Fiber, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **10-11**, 1 (1954).*
23. I. Sakurada, A. Yamamoto, O. Yasutake and W. Tsuji: Manufacturing of Vinyon S and its Significance in Industry, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **10-11**, 55 (1954).*
24. I. Sakurada and W. Tsuji: On the Elasticity of Chemical Fibers, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **10-11**, 180 (1954).*
25. W. Tsuji and M. Imai: Synthetic Resin and Other Treatments of Silk, *Jushikako (Resin Finishing and Application)*, **3**, 417 (1954).*
26. I. Sakurada, Y. Nukushina and N. Mori: Determination of the Degree of Crystallinity of Polyvinyl Alcohol Fibers with an X-Ray Counter,
(I) Preparation of Samples with Same Degree of Orientation of Crystalline Region and with Different Degree of Crystallinity, *Chem. High Polymers (Japan)*, **12**, 302 (1955).*
(II) Determination of the Degree of Crystallinity from Interference Intensity Curve, *ibid.*, **12**, 307 (1955).*

- (III) On the Variation of the Degree of Crystallinity by Formalization, *ibid.*, **12**, 311 (1955)*.
27. I. Sakurada, N. Mori, T. Tanaka, K. Sakurai and O. Yasutake: Studies on the Improvement of Tensile Recovery of Vinylon, (IV) Elastic Recovery of Polyvinyl Alcohol Fibers After Acetalization with Various Aldehydes, *J. Soc., Fiber Sci. Tech., (Japan)*, **11**, 526 (1955)*.
 28. I. Sakurada, N. Mori and O. Yasutake: Elasticity of Vinylon and Acetalization, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **12**, 76 (1955)*.
 29. M. Hosono and I. Sakurada: On the Diffusion of High Polymers, (VII) Error Associated with the Heterogeneity Analysis by Diffusion and the Method of Correction, *Chem. High Polymers (Japan)*, **12**, 460 (1955)*.
(VIII) Degree of Heterogeneity of Polyvinyl Acetate Determined by Diffusion and Estimation of the Molecular Weight Distribution, *ibid.*, **12**, 469 (1955)*.
 30. I. Sakurada and Y. Nukushina: Determination of the Degree of Crystallinity of Polyvinyl Alcohol Film by an X-Ray Counter, *Chem. High Polymers (Japan)*, **12**, 483 (1955)*.
 31. I. Sakurada, Y. Nukushina and Y. Sone: Study on the Swelling of Polyvinyl Alcohol, (I) Relationship between the Degree of Crystallinity and Degree of Swelling of Polyvinyl Alcohol Film of Various Degrees of Polymerization, *Chem. High Polymers (Japan)*, **12**, 506 (1955)*.
(II) Behavior of Crystalline Region in Swelling, *ibid.*, **12**, 510 (1955)*.
(III) Change in the Degree of Crystallinity by Air-Drying after Swelling, *ibid.*, **12**, 514 (1955)*.
(IV) Effects of Drying and Heat-Treatment of Film on the Degrees of Crystallinity and Swelling, *ibid.*, **12**, 517 (1955)*.
 32. I. Sakurada, Y. Nukushina and Y. Sone: Relation between Crystallinity and Swelling of Polyvinyl Alcohol, Supplements "La Ricerca Scientifica.", *Simposio Internazionale di Chimica Macromolecolare*, 425 (1955).
 33. W. Tsuji and T. Okada: Studies on the Frictional Electricity of Textile Fibers (I), *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **12**, 42 (1955)*.
 34. I. Sakurada and Y. Nukushina: Application of an X-Ray Counter in Fiber Research, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **13**, 143 (1956)*.
 35. Y. Nukushina: X-Ray Study of Structures of Natural and Chemical Fibers, *J. Soc. Fiber Sci. Tech. (Japan)*, **12**, 158 (1956)*.
 36. W. Tsuji and T. Okada: Studies on the Frictional Electricity of Textile Fibers (II), *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **13**, 47 (1956)*.
 37. W. Tsuji: The Relation between the Mechanical Properties of High Polymer and Degree of Polymerization, its Distribution and Molecular Orientation, *J. Chem. Soc., Japan, Ind. Chem. Section*, **59**, 764 (1956)*.
 38. W. Tsuji: Property of Vinylon, Polyvinyl Alcohol, *Edit. by Soc. Polymer Sci., (Japan)*, 385 (1956)*.
 39. W. Tsuji, and M. Imai: Synthetic Resin and Other Treatments of Silk, *Jushikako (Resin Finishing and Application)*, **5**, 50 (1956)*.
 40. I. Sakurada, W. Tsuji and R. Kitamaru et al.: Studies on the Chemical Treatment of Cotton (I), *Report No. 14 Japan Cotton Technical Institute*, (1956)*.
 41. Y. Sone and I. Sakurada: Studies on the Swelling of Polyvinyl Alcohol, (V) Influence of the Removal of Soluble Part on the Effect of the Heat Treatment of Polyvinyl Alcohol Films, *Chem. High Polymers Japan*, **14**, 92 (1957)*.
(VI) Swelling of Films Prepared From Water-Soluble and Insoluble Parts of Polyvinyl Alcohol Films, *ibid.*, **14**, 96 (1957)*.
(VII) Influence of the Residual Acetyl Group on the Swelling of Polyvinyl Alcohol Films, *ibid.*, **14**, 139 (1957)*.
(VIII) Swelling of Perfectly Deesterified Polyvinyl Alcohol Films with Various Degree of Polymerization, *ibid.*, **14**, 145 (1957)*.
(IX) Swelling of Films Prepared from Mixtures of Two Kinds of Polyvinyl Alcohol with Different Degree of Polymerization, *ibid.*, **14**, 235 (1957)*.

42. Y. Sone and I. Sakurada: Studies on the Second-Order Transition Temperature of Polyvinyl Alcohol,
 (I) Influence of Water on the Second-Order Transition Temperature of Polyvinyl Alcohol, *Chem. High Polymers (Japan)*, **14**, 574 (1957).*
 (II) Influence of Rate of Heating and Degrees of Polymerization on the Second-Order Transition Temperature of Polyvinyl Alcohol, *ibid.*, **14**, 577 (1957).*
43. M. Hosono and I. Sakurada: Electrophoresis of Polyelectrolytes, (I) Electrophoresis of Polyvinyl Alcohol, *Chem. High Polymers. (Japan)*, **14**, 624 (1957).*
44. I. Sakurada, M. Hosono and N. Ise: Potentiometric Titration of a Polyelectrolyte, *Mem. Fac. Eng., Kyoto Univ.*, **19**, 402 (1957).
45. M. Hosono and I. Sakurada et al.: Electrophoresis of Polyelectrolytes, (I) Electrophoretic Study of Polyvinyl Alcohol, *Mem. Fac. Eng., Kyoto Univ.*, **19**, 408 (1957).
 (II) Electrophoretic Study of Polyvinyl Alcohol Partially Acetalized with Glyoxylic Acid, *ibid.*, **19**, 417 (1957).
46. I. Sakurada, W. Tsuji, R. Kitamaru et al.: Studies on the Chemical Treatment of Cotton (II), *Report No. 20 Japan Cotton Technical Institute*, (1957).*
47. W. Tsuji, S. Tamura and M. Imai: On the Crease Recovery of Resin Treated Fabric, *Jushikako (Resin Finishing and Application)*, **6**, 290 (1957).*
48. W. Tsuji, and M. Imai: Synthetic Resin and Other Treatments of Silk, *Jushikako (Resin Finishing and Application)*, **6**, 2 (1957).*
49. W. Tsuji and M. Imai: Study on the Dynamic Frictional Coefficient of Fiber, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **14**, 53 (1957).*
50. I. Sakurada, Y. Sakaguchi and F. Kimura: Liquid Phase Fibrous Acetylation of Cellulose,
 (X) The Composition of the Acetylation Solution Absorbed by Fibers, *J. Soc. Fiber Sci. and Tech. (Japan)*, **14**, 807 (1958).*
 (XI) The Effect of Alkali Pre-Treatment on the Acetylation Rate of Natural Cellulose Fibers (Part I), *ibid.*, **14**, 810 (1958).*
 (XII) The Effect of Alkali Pre-Treatment on the Acetylation Rate of Natural Cellulose Fibers (Part II), *ibid.*, **14**, 896 (1958).*
51. I. Sakurada and Y. Nukushina: On the Comparison of X-Ray Diffraction Intensities of a Real Fiber and a Random Structure, *J. Soc. Fiber Sci. and Tech. (Japan)*, **14**, 671 (1958).*
52. I. Sakurada, N. Mori, H. Kawakami, H. Sato, N. Ota and T. Tanaka: Effect of Cobalt 60 Gamma Radiation on the Physical Properties of Polyvinyl Alcohol Fibers, *J. Soc. Fiber Sci. and Tech. (Japan)*, **14**, 948 (1958).*
53. M. Hosono and I. Sakurada et al.: Electrophoretic Mobility of Polyelectrolytes,
 (II) Adsorptive Binding of Ions by Polyvinyl Alcohol, *Chem. High Polymers (Japan)*, **15**, 75 (1958).*
 (III) Electrophoretic Study of a Synthetic Polyelectrolyte, Polyvinyl Alcohol Partially Acetalized with Glyoxylic Acid, *ibid.*, **15**, 339 (1958).*
54. I. Sakurada, M. Hosono and N. Ise: Potentiometric Titration of Polyelectrolytes, *Chem. High Polymers (Japan)*, **15**, 175 (1958).*
55. M. Hosono and I. Sakurada: On the Turbidity of Aqueous Solutions of Polyvinyl Alcohol of Lower Degree of Polymerization, *Chem. High Polymers (Japan)*, **15**, 200 (1958).*
56. N. Okada and I. Sakurada: X-Ray Studies on the Reaction Between Polyvinyl Alcohol and Borax, *Chem. High Polymers (Japan)*, **15**, 497 (1958).*
57. N. Okada and I. Sakurada: X-Ray Studies on the Reaction Between Polyvinyl Alcohol and Boric Acid, *Chem. High Polymers (Japan)*, **15**, 591 (1958).*
58. N. Okada and I. Sakurada: X-Ray Studies on the Reaction Between Polyvinyl Alcohol and Iodine, *Chem. High Polymers (Japan)*, **15**, 559 (1958).*
59. N. Okada and I. Sakurada: X-Ray Studies on the Reaction Between Polyvinyl Alcohol and Congo Red, *Chem. High Polymers (Japan)*, **15**, 671 (1958).*
60. I. Sakurada and Y. Nukushina et al.: X-Ray Studies on Low and High Density Polyethylenes,
 (I) Determination of the Crystallinity with the X-Ray Counter, *Chem. High Polymers (Japan)*, **15**, 728 (1958).*

- (II) Determination of the Intensity of Small Angle Scattering with the X-Ray Counter, *ibid.*, **15**, 771 (1958).*
61. S. Mukoyama, H. Tanzawa and Y. Nukushina: The Fine Texture of the Regenerated Cellulose Fibers, *Chem. High Polymers (Japan)*, **15**, 751 (1958).*
 62. I. Sakurada, N. Mori and R. Kitamaru: Some Studies on Vinyon, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **15**, 17 (1958).
 63. I. Sakurada and M. Hosono: Diffusion of Partially Acetylated Polyvinyl Alcohol, *Chem. High Polymers (Japan)*, **16**, 108 (1959).*
 64. M. Hosono and I. Sakurada: Diffusion of Polyelectrolyte, I. Diffusion of Polyvinyl Alcohol Partially Acetalized with Glyoxylic Acid in Water, *Chem. High Polymers (Japan)*, **16**, 395 (1959).*
 65. I. Sakurada, N. Ise and M. Hosono: Electrophoresis of Polyelectrolytes, (V) Electrophoresis of Two Component System and Boundary Anomalies, *Chem. High Polymers (Japan)*, **16**, 165 (1959).*
 66. I. Sakurada and Y. Nukushina et al.: Behaviour of Polyvinyl Alcohol at High Temperatures, (I) On the Wide Angle Diffraction of X-ray, *Chem. High Polymers (Japan)*, **16**, 587 (1959).*
(II) On the Small Angle Scattering of X-ray, *ibid.*, **16**, 593 (1959).*
 67. I. Sakurada and Y. Nukushina: Determination of the Degree of Crystallinity and Long Period of Polypropylene Fibers with an X-Ray Counter, *Chem. High Polymers (Japan)*, **16**, 673 (1959).*
 68. I. Sakurada, Y. Nukushina and H. Tanzawa: Change of the Degree of Crystallinity of Regenerated Cellulose Gel by Air-Drying, *Chem. High Polymers (Japan)*, **16**, 678 (1959).*
 69. I. Sakurada and Y. Nukushina et al.: Determination of the Intensity of Small-Angle Scattering of the Regenerated Cellulose Gel with an X-ray Counter, (I) Measurement of Crystalline Size of the Regenerated Cellulose Primary Gel, *Chem. High Polymers (Japan)*, **16**, 731 (1959).*
(II) Change of Crystalline Size of the Regenerated Cellulose by Air-Drying, *ibid.*, **16**, 733 (1959).*
 70. M. Hosono and N. Ise: The Effect of the Distribution and Volume of Macroions on the Thermodynamic Property of Polyelectrolyte Solutions, *Chem. High Polymers (Japan)*, **16**, 18 (1959).*
 71. M. Hosono and N. Ise: Electrophoresis of Polyelectrolytes., (VI) Estimation of the Charge Number of a Polyelectrolyte by Dole's Theory of Moving Boundary. *Chem. High Polymers (Japan)*, **16**, 408 (1959).
 72. I. Sakurada and Y. Nukushina et al.: Studies on the Small-Angle X-Ray Scattering of Polyvinyl Alcohol, (I) Measurement of Long-Period of Polyvinyl Alcohol Fibers Produced under Various Conditions of Heat Treatment, *Chem. High Polymers (Japan)*, **16**, 13 (1960).
(II) Change of Long-Period of Polyvinyl Alcohol Fibers with Swelling, *ibid.*, **17**, 17 (1969).
(III) Measurement of Long-Period of Polyvinyl Alcohol Fibers of Various Degrees of Elongation, *ibid.*, **17**, 18 (1960).*
 73. I. Sakurada, Y. Nukushina and H. Tanzawa: On the X-Ray Small-Angle Scattering of High Tenacity Rayon and Ramie, *Chem. High Polymers (Japan)*, **17**, 21 (1960).*
 74. M. Takahashi and Y. Nukushina: Studies on Acrylic Fibers, (XIV) The Measurements of Crystallinities of Drawn Filaments by X-Ray Diffraction Investigation, *J. Soc. Fiber Sci. Tech. (Japan)*, **16**, 622 (1960)*.
 75. I. Sakurada, Y. Sakaguchi, F. Kimura, N. Okada and Y. Hayasibe: Graft Copolymerization Styrene onto Cellulose Fibers, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **18**, 19 (1961)*.
 76. I. Sakurada and F. Kimura: Effects of γ -Ray Irradiation on Filament of Isotactic Polypropylene, *Bull. Inst. Chem. Res., Kyoto Univ.*, **39**, 226 (1961).
 77. I. Sakurada, W. Tsuji and F. Kimura: Effect of γ -Ray Irradiation on Mechanical Properties of PVA and Acetalized PVA Films, *Chem. High Polymers (Japan)*, **18**, 396 (1961).*
 78. Y. Nukushina: Fine Structure of Highly Oriented Viscose Rayon, *J. Chem. Soc. (Japan), Ind. Chem. Sec.*, **64**, 38 (1961)*.

79. M. Hosono: On the Frictional Properties of Polymers in the Solution, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **18**, 9 (1961).*
80. I. Sakurada, Y. Nukushina and T. Ito: Experimental Determination of Elastic Moduli of the Crystalline Regions in Oriented Polymers, (I) Polyethylene and Polyvinyl Alcohol, *Chem. High. Polymers (Japan)*, **19**, 285 (1962).
(II) Isotactic Polypropylene and Polyoxymethylene, *ibid.*, **19**, 292 (1962)*.
81. I. Sakurada, T. Okada and F. Kimura: Studies on Graft Polymerization onto Cotton, (I) Grafting of Styrene onto Cotton by Pre-Irradiation with Electron Beams, *J. Soc. Fiber Sci. Tech. (Japan)*, **18**, 687 (1962).*
(II) Effect of Solvent on the Grafting of Styrene onto Cotton, *ibid.*, **18**, 693 (1962).*
(III) Graft Polymerization onto Dyed Cotton Fabrics with Pre-Irradiation Technique, *ibid.*, **18**, 698 (1962).*
82. I. Sakurada, T. Okada, F. Kimura and N. Minekawa: Radiation-Induced Graft Copolymerization onto Cellulose, (II) Grafting of Styrene to Various Cellulose Fibers by Pre-Irradiation Technique, *Bonded Materials*, **1**, No. 9, (1962).*
(III) On Active Centers in Radiation-Induced Grafting onto Cellulose, *ibid.*, **1**, No. 1 (1962).*
83. I. Sakurada, Y. Nukushina and T. Ito: Experimental Determination of the Elastic Modulus of Crystalline Regions in Oriented Polymers, *J. Polymer Sci.* **57**, 651 (1962).
84. M. Hosono: Estimation of Molecular Weight Distribution by Moment Method, *Annual Rep. Inst. Chemical Fibers, Kyoto Univ.*, **19**, 1 (1962).*
85. I. Sakurada, T. Okada and F. Kimura: Graft Copolymerization of Butadiene onto Cellulose, *Annual Rep. Inst. Chemical Fibers Kyoto Univ.*, **19**, 21 (1962).*
86. I. Sakurada, Y. Nukushina and T. Ito: Experimental Determination of the Elastic Modulus of Crystalline Regions in Oriented Polymers, *Annual Rep. Inst. Chemical Fiber, Kyoto Univ.*, **19**, 65 (1962).*
87. I. Sakurada, T. Okada, F. Kimura and N. Minekawa: Radiation-Induced Graft Copolymerization onto Cellulose, (VII) Influence of Pre-Treatment on the Radiation-Induced Graft Copolymerization onto Cellulose, *Bonded Materials*, **2**, No. 1, 32 (1963).*
88. I. Sakurada and M. Hosono: Estimation of Molecular Weight Distribution of Polystyrene Standard Samples by Diffusion Method, *Bull. Inst. Chem. Res., Kyoto Univ.*, **41**, 179 (1963).
89. F. Kimura, T. Okada, A. Torikai and I. Sakurada et al.: Radiation-Induced Graft Copolymerization onto Cellulose, (XVII) Stability of Active Centers, *Ann. Rep. Jap. Assoc. Rad. Res. Polymers*, **5**, 33 (1963-64).*
(XVIII) Preliminary Studies on the Effects of Oxygen on Grafting by Pre-Irradiation Technique, *ibid.*, **5**, 39 (1963-64).*
90. I. Sakurada, T. Okada, S. Hatakeyama and F. Kimura: Radiation-Induced Graft Copolymerization onto Cellulose and Polyvinyl Alcohol Fibers with Binary Mixtures of Comonomers, *J. Polymer Sci, Part C*, No. 4, 1233 (1964).
91. I. Sakurada, M. Hosono and S. Tamamura: Estimation of Particle Size of Synthetic Latices by Turbidity Measurements, *Bull. Inst. Chem. Res., Kyoto Univ.*, **42**, 145 (1964).
92. Y. Suzuki, F. Kimura, M. Yamauchi and I. Sakurada: Studies on Polyoxymethylene, (III) Radiation Effects on Polyoxymethylene Fibers, *Ann. Rep. Jap. Assoc. Rad. Res. Polymers*, **6**, 45 (1964-65).*
93. F. Kimura, K. Fujiwara and I. Sakurada: Catalytic Graft Copolymerization onto Polyvinyl Chloride, *Ann. Rep. Jap. Assoc. Rad. Res. Polymers*, **6**, 67 (1964-65).*
94. F. Kimura and I. Sakurada: Effect of Oxygen on Radiation-Induced Graft Copolymerization, *Ann. Rep. Jap. Assoc. Rad. Res. Polymers*, **6**, 75 (1964-65).*